

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Letters Patent of:  
Ichiro Yamashita

Patent No.: 7,129,047

Issued: October 31, 2006

For: Method For Manufacturing a Nucleotide  
Detector

---

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

**Column 23**

Line 17, Claim 8, "AuCl<sub>4</sub>31" should be -- AuCl<sub>4</sub><sup>-</sup> --  
Line 23, Claim 9, delete second occurrence of "on the substrate"  
Line 32, Claim 10, delete second occurrence of "on the substrate"

The errors were found in the application as filed by applicant. Please charge our Deposit Account No. 08-0750 in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a).

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 08-0750, under Order No. 5077-000074/US/DVA. A duplicate copy of this paper is enclosed.

Dated: January 4, 2007

Respectfully submitted,

Electronic signature: /Gregory A. Stobbs/  
Gregory A. Stobbs  
Registration No.: 28,764  
HARNESS, DICKEY & PIERCE, P.L.C.  
P.O. Box 828  
Bloomfield Hills, Michigan 48303  
(248) 641-1214  
Attorney for Applicant